

SAFETY DATA SHEET

Oxybac Extra Foam Wash

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Oxybac Extra Foam Wash

Product number OXYEX2LTFR, OXYEX1LFR, OXYEX1LSC, OXYEX1L, OXYEX2LT, OXYEX1LBG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product

1.3. Details of the supplier of the safety data sheet

Supplier SC Johnson Professional Ltd
 Denby Hall Way
 Denby
 Derbyshire
 DE5 8JZ
 +44 (0) 1773 855100
 info.prouk@scj.com

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)
 National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P401 Store in accordance with local regulations.
 P501 Dispose of contents/ container in accordance with local regulations.

Oxybac Extra Foam Wash

Supplemental label information

BPR001 Use biocides safely. Always read the label and product information before use.
Eye protection not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

2-PHENOXYETHANOL 1-10%			
CAS number: 122-99-6	EC number: 204-589-7		
Classification			
Acute Tox. 4 - H302			
Eye Irrit. 2 - H319			
GLYCERIN 1-10%			
CAS number: 56-81-5	EC number: 200-289-5	REACH registration number: 01-2119471987-18-XXXX	
Classification			
Not Classified			
2-METHYLPENTANE-2,4-DIOL 1-10%			
CAS number: 107-41-5	EC number: 203-489-0		
Classification			
Skin Irrit. 2 - H315			
Eye Irrit. 2 - H319			
HYDROGEN PEROXIDE SOLUTION 1-10%			
CAS number: 7722-84-1	EC number: 231-765-0	REACH registration number: 01-2119485845-22-XXXX	
Classification			
Ox. Liq. 1 - H271			
Acute Tox. 4 - H302			
Acute Tox. 4 - H332			
Skin Corr. 1A - H314			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
Aquatic Chronic 3 - H412			

Oxybac Extra Foam Wash

D-GLUCOPYRANOSE, OLIGOMERIC, C10-16 ALKYL GLYCOSIDES	1-10%
CAS number: 110615-47-9 REACH registration number: 01-2119489418-23-XXXX	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
AMINES,C12-14(EVEN NUMBERED) ALKYLDIMETHYL,N-OXIDES	1-10%
CAS number: 308062-28-4 EC number: 931-292-6 REACH registration number: 01-2119490061-47-XXXX M factor (Acute) = 1	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	
PHOSPHORIC ACID	<1%
CAS number: 7664-38-2 EC number: 231-633-2 REACH registration number: 01-2119485924-24-XXXX	
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Not relevant. Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse with water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	None.

Oxybac Extra Foam Wash

Eye contact May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products No known hazardous decomposition products.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination. Avoid contamination of ponds or watercourses with washing down water.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid contamination of ponds or watercourses with washing down water. Absorb spillage with non-combustible, absorbent material. Do not discharge into drains or watercourses or onto the ground.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Protect from light.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

GLYCERIN

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

2-METHYLPENTANE-2,4-DIOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 25 ppm 123 mg/m³

Oxybac Extra Foam Wash

HYDROGEN PEROXIDE SOLUTION

Long-term exposure limit (8-hour TWA): WEL 1 ppm 1.4 mg/m³

Short-term exposure limit (15-minute): WEL 2 ppm 2.8 mg/m³

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

Ingredient comments None.

2-PHENOXYETHANOL (CAS: 122-99-6)

DNEL	<p>Industry/Professional - Inhalation; Long term systemic effects: 24.22 mg/m³</p> <p>Workers - Inhalation; Long term local effects: 8.07 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 500 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 2.41 mg/m³</p> <p>General population - Inhalation; Long term local effects: 2.41 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 10.42 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 9.23 mg/kg/day</p> <p>General population - Oral; Short term systemic effects: 9.23 mg/kg/day</p>
PNEC	<p>Fresh water; 0.943 mg/l</p> <p>marine water; 0.094 mg/l</p> <p>STP; 24.8 mg/l</p> <p>Sediment (Freshwater); 7.237 mg/kg</p> <p>Sediment (Marinewater); 0.724 mg/kg</p> <p>Soil; 1.26 mg/kg</p>

GLYCERIN (CAS: 56-81-5)

DNEL	<p>Workers - Inhalation; Long term local effects: 56 mg/m³</p> <p>General population - Inhalation; Long term local effects: 33 mg/m³</p> <p>General population - Oral; Long term systemic effects: 229 mg/kg/day</p>
PNEC	<p>Fresh water; 0.885 mg/l</p> <p>marine water; 0.088 mg/l</p> <p>STP; 1000 mg/l</p> <p>Sediment (Freshwater); 3.3 mg/kg</p> <p>Sediment (Marinewater); 0.33 mg/kg</p> <p>Soil; 0.141 mg/kg</p>

HYDROGEN PEROXIDE SOLUTION (CAS: 7722-84-1)

DNEL	<p>Workers - Inhalation; Long term local effects: 1.4 mg/m³</p> <p>Workers - Inhalation; Short term local effects: 3 mg/m³</p> <p>General population - Inhalation; Long term local effects: 0.21 mg/m³</p> <p>General population - Inhalation; Short term local effects: 1.93 mg/m³</p>
PNEC	<p>- marine water; 0.0126 mg/l</p> <p>- Fresh water; 0.0126 mg/l</p> <p>- Sediment (Freshwater); 0.0103 mg/kg</p> <p>- Soil; 0.0023 mg/kg</p> <p>- Sediment (Marinewater); 0.047 mg/kg</p> <p>- Intermittent release; 0.0138 mg/kg</p> <p>- STP; 4.66 mg/l</p>

Oxybac Extra Foam Wash

D-GLUCOPYRANOSE, OLIGOMERIC, C10-16 ALKYL GLYCOSIDES (CAS: 110615-47-9)

DNEL	Workers - Inhalation; Long term systemic effects: 420 mg/m ³
	Workers - Dermal; Long term systemic effects: 595000 mg/kg/day
	General population - Inhalation; Long term systemic effects: 124 mg/m ³
	General population - Dermal; Long term systemic effects: 357000 mg/m ³
	General population - Oral; Long term systemic effects: 35.7 mg/kg/day
PNEC	Fresh water; 0.176 mg/l
	marine water; 0.018 mg/l
	STP; 5000 mg/l
	Sediment (Freshwater); 1.516 mg/kg
	Sediment (Marinewater); 0.065 mg/kg
	Soil; 0.654 mg/kg

AMINES,C12-14(EVEN NUMBERED) ALKYL DIMETHYL,N-OXIDES (CAS: 308062-28-4)

DNEL	Workers - Inhalation; Long term systemic effects: 6.2 mg/m ³
	Workers - Dermal; Long term systemic effects: 11 mg/kg/day
	General population - Inhalation; Long term systemic effects: 1.53 mg/m ³
	General population - Dermal; Long term systemic effects: 5.5 mg/kg/day
	General population - Oral; Long term systemic effects: 0.44 mg/kg/day
PNEC	Fresh water; 0.034 mg/l
	marine water; 0.003 mg/l
	STP; 24 mg/l
	Sediment (Freshwater); 5.24 mg/kg
	Sediment (Marinewater); 0.524 mg/kg
	Soil; 1.02 mg/kg

PHOSPHORIC ACID (CAS: 7664-38-2)

DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³
	Workers - Inhalation; Short term local effects: 2 mg/m ³
	General population - Inhalation; Long term local effects: 0.73 mg/m ³
	General population - Oral; Long term systemic effects: 0.1 mg/kg/day

8.2. Exposure controls

Appropriate engineering controls	Not relevant.
Eye/face protection	Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Hand protection not required.
Respiratory protection	No specific recommendations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless.
Odour	Characteristic.
Odour threshold	Not determined.

Oxybac Extra Foam Wash

pH	pH (concentrated solution): 2.25-2.35
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Scientifically unjustified.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Scientifically unjustified.
Vapour pressure	No information available.
Vapour density	Not determined.
Relative density	Not determined.
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Scientifically unjustified.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Scientifically unjustified.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react violently with the product: Strong reducing agents.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not known.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with strong reducing agents.

10.5. Incompatible materials

Materials to avoid Strong reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Oxybac Extra Foam Wash

Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	6,693.51
<u>Acute toxicity - dermal</u>	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - inhalation</u>	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (gases ppm)	225,000.0
ATE inhalation (vapours mg/l)	550.0
ATE inhalation (dusts/mists mg/l)	75.0
<u>Skin corrosion/irritation</u>	
Human skin model test	Not irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	OECD 438 Causes serious eye irritation.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Skin sensitisation	Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.
<u>Carcinogenicity</u>	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
<u>Reproductive toxicity</u>	
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	Not applicable.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Not applicable.
<u>Aspiration hazard</u>	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	May cause temporary eye irritation.

Toxicological information on ingredients.

2-PHENOXYETHANOL

Acute toxicity - oral

Oxybac Extra Foam Wash

Acute toxicity oral (LD₅₀ mg/kg) 1,840.0

Species Rat

ATE oral (mg/kg) 1,840.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 14,391.0

Species Rat

ATE dermal (mg/kg) 14,391.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 1,000.0

Species Rat

ATE inhalation (dusts/mists mg/l) 1,000.0

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Causes eye irritation.

Respiratory sensitisation

Respiratory sensitisation Not sensitising.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

2-METHYLPENTANE-2,4-DIOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 3,692.0

Species Rat

ATE oral (mg/kg) 3,692.0

Oxybac Extra Foam Wash

Acute toxicity - dermal

Notes (dermal LD₅₀) LD50 >2000 mg/Kg bw RAT

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 310.0

HYDROGEN PEROXIDE SOLUTION

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,193.0

Species Rat Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rabbit

Acute toxicity - inhalation

ATE inhalation (gases ppm) 4,500.0

ATE inhalation (vapours mg/l) 11.0

ATE inhalation (dusts/mists mg/l) 1.5

D-GLUCOPYRANOSE, OLIGOMERIC, C10-16 ALKYL GLYCOSIDES

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,000.0

Species Rat

ATE oral (mg/kg) 2,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rat

ATE dermal (mg/kg) 2,000.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Scientifically unjustified.

Skin corrosion/irritation

Skin corrosion/irritation Skin irritation.

Serious eye damage/irritation

Oxybac Extra Foam Wash

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Not sensitising.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

AMINES,C12-14(EVEN NUMBERED) ALKYL DIMETHYL,N-OXIDES

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,064.0

Species Rat

ATE oral (mg/kg) 1,064.0

PHOSPHORIC ACID

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,600.0

Species Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,740.0

Species Rabbit

ATE dermal (mg/kg) 2,740.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 25.5

Species Mouse

ATE inhalation (vapours mg/l) 25.5

Skin corrosion/irritation

Animal data Erythema/eschar score: Severe erythema (beef redness) to eschar formation preventing grading of erythema (4). Oedema score: Moderate oedema - raised approximately 1 mm (3). Primary dermal irritation index: 6.6

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The product is not expected to be hazardous to the environment.

Oxybac Extra Foam Wash

Ecological information on ingredients.

2-PHENOXYETHANOL

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 344 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	LC ₅₀ , 48 hours: 488 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 443 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	NOEC, 30 minutes: 248 mg/l,

Chronic aquatic toxicity

Chronic toxicity - fish early life stage	NOEC, 34 days: 23 mg/l, Pimephales promelas (Fat-head Minnow)
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 9.43 mg/l, Daphnia magna

HYDROGEN PEROXIDE SOLUTION

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 16.4 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 2.4 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 1.38 mg/l, Selenastrum capricornutum

D-GLUCOPYRANOSE, OLIGOMERIC, C10-16 ALKYL GLYCOSIDES

Acute aquatic toxicity

Acute toxicity - fish	LL ₅₀ , 96 hours: 2.95 mg/l, Freshwater fish LC ₅₀ , 96 hours: 4.4 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 7 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 12.5 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	, , ,

Chronic aquatic toxicity

Chronic toxicity - fish early life stage	NOEC, 28 days: 3.2 mg/l, Brachydanio rerio (Zebra Fish)
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 2 mg/l, Daphnia magna

AMINES,C12-14(EVEN NUMBERED) ALKYLDIMETHYL,N-OXIDES

Acute aquatic toxicity

Oxybac Extra Foam Wash

LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 2.67 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 72 hours: 3.1 mg/l, Daphnia magna
Acute toxicity - aquatic plants	NOEC, 72 hours: 0.19 mg/l, Freshwater algae
Acute toxicity - microorganisms	EC10, 24 hour: 80 mg/l, Activated sludge

PHOSPHORIC ACID

Acute aquatic toxicity

Acute toxicity - fish	, 96 hour: 3.25 pH, Lepomis macrochirus (Bluegill)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hour: >100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	NOEC, 72 hour: 100 mg/l, Desmodosmus subspicatus
Acute toxicity - microorganisms	IC ₅₀ , : 270 mg/l, Activated sludge

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste product or used containers in accordance with local regulations Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.

Oxybac Extra Foam Wash

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

PCS Number

97300

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Use biocides safely. Always read the label and product information before use.

Key literature references and sources for data

Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.

Revision comments

Revision of information NOTE: Lines within the margin indicate significant changes from the previous revision.

Oxybac Extra Foam Wash

Revision date	24/01/2020
Revision	9
Supersedes date	13/05/2019
SDS number	21778
Hazard statements in full	H271 May cause fire or explosion; strong oxidiser. H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Notes for Hazard Statements in Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.